

ADVANTAGE 2000

Advantage 2000 Plus workstations utilize open frame architecture with symmetrical, welded steel framework to provide effective technical workspace management. This framework, coupled with a modular design concept, permits maximum flexibility in workspace configuration, as well as the capability to provide secure and enclosed environments.

Additionally, Advantage 2000 Plus allows a completely customized workspace with a full compliment of user-specific, accessory solutions such as storage compartments, task lights and keyboard trays.

FEATURES

 Workstation widths of 26", 50" and 72"

Meets or exceeds

ANSI/BIFMA specifications

- Symmetrical, welded steel framework
- Integrated enclosures
- Laminated work surfaces
- Tapped holes, one screw size
- One tool for assembly
- Vertical adjustability in 1" increments
- Front access to cable management
- Shelf weight capacities up to 775 lbs.

BENEFITS

- Flexible, customized workspace configurations
- Easy to assemble and re-configure
- Secures and protects equipment
- Adapts easily to changing workspace requirements
- Durable construction built for longevity
- Easy to configure and order
- Quick delivery

Available on GSA Schedule Contract No: GS-28F-0039N




		GL2072-A1	Dimensions: 76.00"W x 45.20"D x 78.00-79.50"H*			
Part No.	Qty.	Description				
2001-DF	2	"d" frame upright				
2272	2	Four point solid shelf (71.	75"W x 25.50"D)			
2272-CT	1	Laminated countertop ext	ension (74"W x 16"D)			
2372	2	Brace and cover				
2472-HCM	1	Front access horizontal ca	ble management tray			
2400-VCM	3	Vertical cable managemer	nt (qty. 2 makes one run below storage comp.)			
2572-SC	1	Lockable storage compart	Lockable storage compartment			
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long				
2540-PSB	1	Vertical power strip moun Approximate shipping we				
		GI 2050-A1	Dimensions: 54 በበ"W x 45 20"D x 78 በበ-79 50"H*			

GL2050-A1

Dimensions: 54.00"W x 45.20"D x 78.00-79.50"H

Part No.	Qty.	Description			
2001-DF	2	"d" frame upright			
2250	2	Four point solid shelf (49.75"W x 25.50"D)			
2250-CT	1	Laminated countertop extension (52"W x 16"D)			
2350	2	Brace and cover			
2450-HCM	1	Front access horizontal cable management tray			
2400-VCM	3	Vertical cable management (qty. 2 makes one run below storage comp.)			
2550-SC	1	Lockable storage compartment			
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long			
2540-PSB	1	Vertical power strip mounting bracket, one set			
		Approximate shipping weight 460 lbs.			

NOTE: To configure a 26" workstation, please refer to the accessory pages 73-76.



		GLZUIZ-AZ Differsions. 70.00 W X 45.20 D X 70.00-79.30 H					
Part No.	Qty.	Description					
2001-FF	2	Full height frame upright					
2272	2	Four point solid shelf (71.75"W x 25.50"D)					
2272-SLT	2	Four point slotted accessory tilt shelf (71.75"W x 25.50"D)					
2272-CT	1	Laminated countertop extension (74"W x 16"D)					
2372	2	Brace and cover					
2472-HCM	2	Front access horizontal cable management tray					
2400-VCM	3	Vertical cable management (qty. 3 makes one run)					
2535-KBSL	1	Stackable sliding keyboard tray w/wrist rest					
2540-AS	6	Anti-slide bracket					
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long					
2540-PSB	1	Vertical power strip mounting bracket, one set					
		Approximate shipping weight 620 lbs.					
		GL2050-A2 Dimensions: 54.00"W x 45.20"D x 78.00-79.50"H*					
Part No.	Qty.	Description					
2001-FF	2	Full height frame upright					
2250	2	Four point solid shelf (49.75"W x 25.50"D)					
2250-SLT	2	Four point slotted accessory tilt shelf (49.75"W x 25.50"D)					
2250-CT	1	Laminated countertop extension (52"W x 16"D)					
2350	2	Brace and cover					
2450-HCM	1	Front access horizontal cable management tray					
2400-VCM	3	Vertical cable management (qty. 3 makes one run)					
2535-KBSL	1	Stackable sliding keyboard tray w/wrist rest					
2540-AS	4	Anti-slide bracket					
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long					
2540-PSB	1	Vertical power strip mounting bracket, one set					
		Approximate shipping weight 495 lbs.					

NOTE: To configure a 26" workstation, please refer to the accessory pages 73-76.

* Height with standard leveling glides. Height with optional casters is 80.75".



		GL2072-A3 Dimensions: 76.00"W x 35.20"D x 78.00-79.50"H*
Part No.	Qty.	Description
2001-FF	2	Full frame upright
2272-DLA	1	Laminate work surface (71.75"W x 31.56"D) reinforced with steel accessory mounting underplate
2272	1	Four point solid shelf (71.75"W x 25.50"D)
2272-SLT	2	Four point slotted accessory tilt shelf (71.75"W x 25.50"D)
2472-HCM	1	Front access horizontal cable management tray
2400-VCM	3	Vertical cable management (qty. 3 makes one run)
2372	2	Brace and cover
2535-KBSL	1	Stackable sliding keyboard tray w/wrist rest
2540-AS	6	Anti-slide bracket
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long
2540-PSB	1	Vertical power strip mounting bracket, one set
		Approximate shipping weight 595 lbs.

GL2050-A3

Dimensions: 54.00"W x 35.20"D x 78.00-79.50"H*


Part No.	Qty.	Description
2001-FF	2	Full frame upright
2250-DLA	1	Laminate work surface (49.75"W x 31.56"D) reinforced with steel accessory mounting underplate
2250	1	Four point solid shelf (49.75"W x 25.50"D)
2250-SLT	2	Four point slotted accessory tilt shelf (49.75"W x 25.50"D)
2450-HCM	1	Front access horizontal cable management tray
2400-VCM	3	Vertical cable management (qty. 3 makes one run)
2350	2	Brace and cover
2535-KBSL	1	Stackable sliding keyboard tray w/wrist rest
2540-AS	6	Anti-slide bracket
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long
2540-PSB	1	Vertical power strip mounting bracket, one set
		Approximate shipping weight 595 lbs.

70

NOTE: To configure a 26" workstation, please refer to the accessory pages 73-76.

* Height with standard leveling glides. Height with optional casters is 80.75".

GL2072-A4



		GL2072-A4 Dimensions: 77.50"W x 77.20"D x 78.00-79.50"H*
Part No.	Qty.	Description
2001-DF	2	"d" frame upright
2010-HFE	2	Exterior side panel
2272-LA	1	Four point laminated work surface (71.75"W x 25.50"D)
2272-CNT	1	Cantilevered accessory shelf (71.875"W x 18.00"D)
2572-SC	1	Lockable storage compartment
2226-PW	1	Peninsula work surface with adjustable support leg (24.63"W x 48.00"L)
2535-PD	1	Pencil drawer (20.75"W x 15.00"D)
2565	1	Lockable three drawer unit on casters
2472-HCM	1	Front access horizontal cable management tray
2400-VCM	2	Vertical cable management (qty. 2 makes one run below storage comp.)
2372	2	Brace and cover
7215	1	16 position power strip w/ circuit breaker, 5-15P plug, 49" long
2540-PSB	1	Vertical power strip mounting bracket, one set
		Approximate shipping weight 725 lbs.


Advantage 2000-Workstations




		GL2248-C1 Dimensions: 48.00" SQ.				
Part No.	Qty.	Description				
2001-DF	2	"d" frame upright				
2001-CF	1	Full height corner frame upright				
2248-CNT	1	Laminated cantilevered corner shelf				
2348	4	Brace and cover				
2248	1	Five point solid corner shelf				
		Approximate shipping weight 295 lbs.				
		GL2248-C2 Dimensions: 48.00" SQ.				
Part No.	Qty.	Description				
2001-FF	2	Full height frame upright				
2001-CF	1	Full height corner frame upright				
2001-06						
2001-CF 2248-CNT	1	Laminated cantilevered corner shelf				
	1 4					
2248-CNT	1 4 1	Laminated cantilevered corner shelf				
2248-CNT 2348	-	Laminated cantilevered corner shelf Brace and cover				
2248-CNT 2348	-	Laminated cantilevered corner shelf Brace and cover Five point solid corner shelf				

Part No.	Description
2248-LA	Five point laminated corner shelf
2248-CT	Laminated countertop extension
2535-KBSL	Stackable sliding keyboard shelf w/wrist rest
2400-VCM	VCM for full frame or "d" frame upright
2448-HCM	Horizontal cable management tray

Frame Uprights




Side Panels




PART NO.	DESCRIPTION	APPROX. WEIGHT	
2010-HFE	Exterior side panel for half height	12 lbs.	
	frame upright		
2010-FFEL	Exterior side panel for full height fram	e 28 lbs.	
	upright w/lock		

Braces



PART NO.	DESCRIPTION	APPROX. WEIGHT
2326	Brace & cover (10"H x 26"W)	10 lbs.
2350	Brace & cover (10"H x 50"W)	26 lbs.
2372	Brace & cover (10"H x 72"W)	35 lbs.
2348	Brace & cover for GL2248 corner	22 lbs.

NOTE: Two back panels and three braces are necessary to enclose back side of a 2001-DF or 2001-FF upright.



FANT NU.	THICKINESS	WIDTH	DEFIN	WEIGHT CAF.	AFFROX. WEIGHT
2226	1.25"	25.75"	25.50"	600 lbs.	22 lbs.
2250	1.25"	49.75"	25.50"	600 lbs.	40 lbs.
2272	1.25"	71.75	25.50"	500 lbs.	58 lbs.

Four Point Slotted Accessory Tilt Shelves


FOUR POINT SLOTTED ACCESSORY SHELVES TILT +/- 15 DEGREES (13 DIFFERENT POSITIONS)



PART NO.	THICKNESS	WIDTH	DEPTH	WEIGHT CAP.	APPROX. WEIGHT
2226-SLT	1.25"	25.75"	25.50"	600 lbs.	21 lbs.
2250-SLT	1.25"	49.75"	25.50"	600 lbs.	40 lbs.
2272-SLT	1.25"	71.75"	25.50"	500 lbs.	57 lbs.

Four Point Laminated Work Surfaces

LAMINATED WORK SURFACE REINFORCED WITH STEEL ACCESSORY MOUNTING UNDERPLATE




PART NO.	THICKNESS	WIDTH	DEPTH	WEIGHT CAP.	APPROX. WEIGHT
2226-LA	1.25"	25.75"	25.50"	400 lbs.	32 lbs.
2250-LA	1.25"	49.75"	25.50"	300 lbs.	55 lbs.
2272-LA	1.25"	71.75"	25.50"	200 lbs.	78 lbs.

NOTE: Laminate color - White Nebula


Four Point Deep Laminated Work Surfaces

LAMINATED WORK SURFACE REINFORCED WITH STEEL ACCESSORY MOUNTING UNDERPLATE




PART NO.	THICKNESS	WIDTH	DEPTH	WEIGHT CAP.	APPROX. WEIGHT
2226-DLA	1.25"	25.75"	31.56"	600 lbs.	40 lbs.
2250-DLA	1.25"	49.75"	31.56"	600 lbs.	72 lbs.
2272-DLA	1.25"	71.75"	31.56"	500 lbs.	102 lbs.
NOTE: Laminate color - White Nebula					

Cantilevered Solid Shelves



PART NO.	THICKNESS	WIDTH	DEPTH	WEIGHT CAP.	APPROX. WEIGHT
2226-CNT	1.25"	25.875"	18.00"	600 lbs.	19 lbs.
2250-CNT	1.25"	49.875"	18.00"	500 lbs.	32 lbs.
2272-CNT	1.25"	71.875"	18.00"	400 lbs.	45 lbs.


Cantilevered Slotted Accessory Shelves



PART NO. TI	HICKNESS	WIDTH	DEPTH	WEIGHT CAP.	APPROX. WEIGHT
2226-CNT-SLT	1.25"	25.875"	18.00"	600 lbs.	19 lbs.
2250-CNT-SLT	1.25"	49.875"	18.00"	500 lbs.	32 lbs.
2272-CNT-SLT	1.25"	71.875"	18.00"	400 lbs.	44 lbs.

Laminated Countertop Extension

LAMINATED WORK SURFACE REINFORCED WITH STEEL ACCESSORY MOUNTING UNDERPLATE



PART NO.	THICKNESS	WIDTH	DEPTH	WEIGHT CAP.	APPROX. WEIGHT
2226-CT	1.25"	28.00"	16.00"	400 lbs.	23 lbs.
2250-CT	1.25"	52.00"	16.00"	300 lbs.	43 lbs.
2272-CT	1.25"	74.00"	16.00"	200 lbs.	63 lbs.
NOTE: Laminate color - White Nebula					




Keyboard Trays





2535-KBSTA


2535-KBSL





2535-KBAM

PART NO.	DESCRIPTION	APPROX. WEIGHT
2535-KBSL	Stackable sliding keyboard tray w/wrist rest (20.50"W x 8.375"D)	12 lbs.
2535-KBSTA	Stationary keyboard tray w/wrist rest (20.50"W x 8.375"D) adjustable left to right	7 lbs.
2535-KBAM	Articulated sliding keyboard tray (20.00"W x 8.75"D) w/wrist rest and mouse tray	18 lbs.



PART NO.	DESCRIPTION	APPROX. WEIGHT
2535-PD	Pencil drawer (20.75"W x 15.00"D)	13 lbs.
2565	Lockable three drawer unit on caster (26.25"H x 15.00"W x 19.50"D)	s 66 lbs.

Lockable Overhead Storage Compartments




w/Four (4) dividers

PART NO.	HEIGHT	DEPTH	WIDTH	WEIGHT CAP.	APPROX. WEIGHT
2526-SC	16.00"	15.25"	26.00"	225 lbs.	51 lbs.
2550-SC	16.00"	15.25"	50.00"	200 lbs.	98 lbs.
2572-SC	16.00"	15.25"	72.00"	150 lbs.	141 lbs.

NOTE: 2526-SC has Two (2) dividers & 2572-SC has Six (6) dividers

Peninsula Work Surface w/ Adjustable Support Leg



2226-PWC Peninsula work surface with casters

Inside Corner Shelves & Countertops





100 lbs.

2248-CT

2248-CNT

PART NO.	DEPTH	WEIGHT CAP.	DESCRIPTION APP	ROX. WEIGHT
2248	48.00"	300 lbs.	5 point corner shelf	50 lbs.
2248-LA	48.00"	300 lbs.	5 point laminated corner shelf	60 lbs.
2248-CT	12.25"	300 lbs.	Laminated countertop	20 lbs.
2248-CNT	18.00"	300 lbs.	Cantilevered laminated corner she	50 lbs. If
2248-DLACT	N/A	N/A	DLA corner countern extension (48" x 48" corner)	юр

NOTE: Laminate color - White Nebula

22E0 TC2

Floor Mount Sliding Double Wide Tower Shelves




	2250-16	2			
PART NO.	SHELF THICK.	SHELF W	SHELF D	WEIGHT CAP.	APPROX. WT.
2226-TC*	3"	23.50"	23.478"	775 lbs.	64 lbs.
2226-TC1	3"	23.50"	23.478"	775 lbs.	64 lbs.
2226-TCB	S Back S	top for TC	Shelf w/	Cable Manage	ement
2250-TC1	3"	23.50"	23.478"	775 lbs./shelf	68 lbs.
2250-TC2	3"	23.50"	23.478"	775 lbs./shelf	196 lbs.
2250-TCB	S Back St	op for TC	Shelf w/0	Cable Manage	ment
2272-TC1	3"	23.50"	23.478"	775 lbs./shelf	70 lbs.
2272-TC2	3"	23.50"	23.478"	775 lbs./shelf	134 lbs.
2272-TC3	3"	23.50"	23.478"	775 lbs./shelf	198 lbs.
2272-TCB	S Back St	op for TC	Shelf w/0	Cable Manage	ment
*Double \	Vide Tower S	helf only,	backstop	required	

NOTE: All TC series shelves mount to uprights with leveling glides only 75

Horizontal Cable Management Tray


- FEATURES: Front access to Cable Management
 - · Power strips can be mounted in Cable Management Tray
 - Mounts to all four point shelves
 - Mounts to all cantilevered shelves except LT (Light Duty)



PART NO.	WIDTH	DESCRIPTION	APPROX. WEIGHT
2426-HCM	19.75"	Horizontal cable mgmnt. tray	6 lbs.
2450-HCM	43.75"	Horizontal cable mgmnt. tray	12 lbs.
2472-HCM	65.75"	Horizontal cable mgmnt. tray	18 lbs.
2448-HCM	35.125"	Horizontal cable mgmnt. tray	12 lbs.

NOTE: Cable trough is 2.25"W x 5.50"D

VCM Vertical Cable Management




PART NO.	LENGTH	DESCRIPTION	APPROX. WEIGHT
2400-VCM	22.00"	VCM for full frame or	1 lb.
		"d" frame upright	
2400-VCMHL	21.12"	VCM for half ht. frame	1 lb.
		left hand side	
2400-VCMHR	21.12"	VCM for half ht. frame	1 lb.
		right hand side	

NOTE: 2001-DF and 2001-FF uprights will accept three (3) 2400-VCM for full height vertical cable management

Miscellaneous Accessories





2520-19RK		2526-19F	
PART NO.	DESCRIPTION	APPROX. WEIGHT	
2520-19RK	19" EIA spacing, 5U rack spaces,	10 lbs.	
	8.75"H for four point and		
	cantilevered shelves, except ligh	t	
	duty cantilevered shelf		
2526-19F	19" EIA spacing, 7U rack spaces,	10 lbs.	
	12.25"H for 26" wide configuration	ons	



2540-PSB

	ECICIOE			
PART NO.	DESCRIPTION			
2540-PSB	Vertical power strip mounting bracket, one pair.			
PART NO.	DESCRIPTION	APPROX. WEIGHT		
2508	Two (2) casters –locking	1 lb.		
* Caution:	Casters have to be completely threaded in and seated against the bottom of the frame to prevent damage to receiving nut and frame during workstation rolling.			
	2540-BE			
254	0-AS	2540-SSB		
2521-TL				
PART NO.	DESCRIPTION	APPROX. WEIGHT		
2540-AS	Anti-slide braket for slotted tilt shelve			
2540-BE	Book ends for slotted tilt shelves, 6"D x 7.50"H, one pair	1 lb.		
2540-SSB	Stationary switch box shelf (21.75"W x 12"D x 2.75"H)	8 lbs.		
2521-TL	Low profile task light (22" W x 5"D x 1"H),	10 lbs.		

magnetically mounted