



**Material:**

Carbon steel  
Enclosure: 16 ga (1.5 mm)

**Configuration:**


Door with 180° left-hand hinges,  
includes screwdriver insert.

**Surface finish:**

Enclosure and door:  
Powder-coated  
on the outside in textured  
RAL 7035 (light grey)

**Protection rating:**

UL Type 12  
(IP 54 to EN 60 529/10.91)  
UL/cUL Type 3R  
UL/cUL Type 4  
(IP 66 to EN 60 529/10.91)  
UL File #: E170282



**Note: zinc-plated enclosure mounting panel sold separately (see below)**

**Depth: 3 - 4" (75 - 100 mm), Height: 5 - 7" (135 - 185 mm)**

<b>Height (H1) inches (mm)</b>	PU	4 (100)	6 (150)	6 (150)	6 (150)	8 (200)	8 (200)	Page
<b>Width (B1) inches (mm)</b>		4 (100)	4 (100)	4 (100)	6 (150)	6 (150)	8 (200)	
<b>Depth (T1) inches (mm)</b>		3 (75)	3 (75)	4 (100)	4 (100)	4 (100)	4 (100)	
Panel Height inches (mm)		-	5 (135)	5 (135)	5 (135)	7 (185)	7 (185)	
Panel Width inches (mm)		-	3 (75)	3 (75)	5 (125)	5 (125)	7 (175)	
<b>Part No.</b>	1	<b>JB040403HC</b>	<b>JB060403HC</b>	<b>JB060404HC</b>	<b>JB060604HC</b>	<b>JB080604HC</b>	<b>JB080804HC</b>	
Weight lb (kg)		2 (0.9)	3 (1.4)	3 (1.4)	4 (1.6)	5 (2.0)	6 (2.5)	

**Accessories**

Mounting panel	1	-	JBMP0604	JBMP0606	JBMP0806	JBMP0808	633
Wallmount bracket	4	1590.000					628

**Depth: 4 - 6" (100 - 150 mm), Height: 10 - 12" (250 - 300 mm)**

<b>Height (H1) inches (mm)</b>	PU	10 (250)	12 (300)	12 (300)	8 (200)	10 (250)	10 (250)	Page
<b>Width (B1) inches (mm)</b>		8 (200)	6 (150)	10 (250)	6 (150)	8 (200)	10 (250)	
<b>Depth (T1) inches (mm)</b>		4 (100)	4 (100)	5 (125)	6 (150)	6 (150)	6 (150)	
Panel Height inches (mm)		9 (235)	11 (285)	11 (285)	7 (185)	9 (235)	9 (235)	
Panel Width inches (mm)		7 (175)	5 (125)	9 (225)	5 (125)	7 (175)	9 (225)	
<b>Part No.</b>	1	<b>JB100804HC</b>	<b>JB120604HC</b>	<b>JB121005HC</b>	<b>JB080606HC</b>	<b>JB100806HC</b>	<b>JB101006HC</b>	
Weight lb (kg)		8 (3.4)	6 (2.7)	9 (4.1)	6 (2.5)	8 (3.4)	9 (3.9)	

**Accessories**

Mounting panel	1	JBMP1008	JBMP1206	JBMP1210	JBMP0806	JBMP1008	JBMP1010	633
Wallmount bracket	4	1590.000					628	

# JB hinge cover junction box

Depth: 3 - 4" (75 - 100 mm), Height: 5 - 7" (135 - 185 mm)

<b>Height (H1) inches (mm)</b>	PU	12 (300)	12 (300)	14 (350)	16 (400)	12 (300)	16 (400)	16 (400)	Page
<b>Width (B1) inches (mm)</b>		10 (250)	12 (300)	12 (300)	14 (350)	10 (250)	14 (350)	14 (350)	
<b>Depth (T1) inches (mm)</b>		6 (150)	6 (150)	6 (150)	6 (150)	8 (200)	8 (200)	10 (250)	
Panel Height inches (mm)		11 (285)	11 (285)	13 (335)	15 (385)	11 (285)	15 (385)	15 (385)	
Panel Width inches (mm)		9 (225)	11 (275)	11 (275)	13 (325)	9 (225)	13 (325)	14 (350)	
<b>Part No.</b>	1	<b>JB121006HC</b>	<b>JB121206HC</b>	<b>JB141206HC</b>	<b>JB161406HC</b>	<b>JB121008HC</b>	<b>JB161408HC</b>	<b>JB161410HC</b>	
Weight lb (kg)		10 (4.5)	11 (5.0)	12 (5.5)	15 (6.8)	11 (5.0)	17 (7.7)	19 (8.6)	
<b>Accessories</b>									
Mounting panel	1	JBMP1210	JBMP1212	JBMP1412	JBMP1614	JBMP1210	JBMP1614	JBMP1614	633
Wallmount bracket	4	1590.000							628





**Material:**

Type 304 stainless steel  
– Enclosure:  
16 ga (1.5 mm)

**Surface finish:**

Enclosure and door:  
#4 brushed

**Protection rating:**


UL/cUL Type 12  
(IP 54 to EN 60 529/10.91)  
UL/cUL Type 3R  
UL/cUL 4X  
(IP 66 to EN 60 529/10.91)  
UL file #: E76083

**Configuration:**

– Door with 180° left-hand hinges  
– Includes screwdriver insert and  
wallmounting blind nuts

**Detailed drawings:**

**Note: zinc-plated enclosure  
mounting panel sold separately  
(see below)**



**Depth: 3 - 4" (75 - 100 mm), Height: 4 - 8" (100 - 200 mm)**

Height (H1) inches (mm)	PU	4 (100)	6 (150)	6 (150)	6 (150)	8 (200)	8 (200)	Page
Width (B1) inches (mm)		4 (100)	4 (100)	4 (100)	6 (150)	6 (150)	8 (200)	
Depth (T1) inches (mm)		3 (75)	3 (75)	4 (100)	4 (100)	4 (100)	4 (100)	
Panel Height inches (mm)		–	5 (135)	5 (135)	5 (135)	7 (185)	7 (185)	
Panel Width inches (mm)		–	3 (75)	3 (75)	5 (125)	5 (125)	7 (175)	
<b>Part No.</b>	1	<b>JB040403H4</b>	<b>JB060403H4</b>	<b>JB060404H4</b>	<b>JB060604H4</b>	<b>JB080604H4</b>	<b>JB080804H4</b>	
Weight lb (kg)		2 (0.9)	3 (1.4)	3 (1.4)	4 (1.6)	5 (2.0)	6 (2.5)	

**Accessories**

Mounting panel	1	–	JBMP0604	JBMP0606	JBMP0806	JBMP0808	633
Wallmount bracket Type 304	4	1594.000					628

To order JB junction boxes in Type 316L stainless steel replace H4 ending with H6 (extended delivery times).

**Depth: 4 - 6" (100 - 150 mm), Height: 8 - 12" (200 - 300 mm)**

Height (H1) inches (mm)	PU	10 (250)	12 (300)	12 (300)	8 (200)	10 (250)	10 (250)	Page
Width (B1) inches (mm)		8 (200)	6 (150)	10 (250)	6 (150)	8 (200)	10 (250)	
Depth (T1) inches (mm)		4 (100)	4 (100)	5 (125)	6 (150)	6 (150)	6 (150)	
Panel Height inches (mm)		9 (235)	11 (285)	11 (285)	7 (185)	9 (235)	9 (235)	
Panel Width inches (mm)		7 (175)	5 (125)	9 (225)	5 (125)	7 (175)	9 (225)	
<b>Part No.</b>	1	<b>JB100804H4</b>	<b>JB120604H4</b>	<b>JB121005H4</b>	<b>JB080606H4</b>	<b>JB100806H4</b>	<b>JB101006H4</b>	
Weight lb (kg)		8 (3.4)	6 (2.7)	9 (4.1)	6 (2.5)	8 (3.4)	9 (3.9)	

**Accessories**

Mounting panel	1	JBMP1008	JBMP1206	JBMP1210	JBMP0806	JBMP1008	JBMP1010	633
Wallmount bracket Type 304	4	1594.000					628	

To order JB junction boxes in Type 316L stainless steel replace H4 ending with H6 (extended delivery times).

# JB hinge cover junction box

Depth: 6 - 10" (150 - 250 mm), Height: 12 - 16" (300 - 400 mm)

<b>Height (H1)</b> inches (mm)	PU	12 (300)	12 (300)	14 (350)	16 (400)	12 (300)	16 (400)	16 (400)	Page
<b>Width (B1)</b> inches (mm)		10 (250)	12 (300)	12 (300)	14 (350)	10 (250)	14 (350)	14 (350)	
<b>Depth (T1)</b> inches (mm)		6 (150)	6 (150)	6 (150)	6 (150)	8 (200)	8 (200)	10 (250)	
Panel Height (G1) inches (mm)		11 (285)	11 (285)	13 (335)	15 (385)	11 (285)	15 (385)	15 (385)	
Panel Width (F1) inches (mm)		9 (225)	11 (275)	11 (275)	13 (325)	9 (225)	13 (325)	13 (325)	
<b>Part No.</b>	1	<b>JB121006H4</b>	<b>JB121206H4</b>	<b>JB141206H4</b>	<b>JB161406H4</b>	<b>JB121008H4</b>	<b>JB161408H4</b>	<b>JB161410H4</b>	
Weight lb (kg)		10 (4.5)	11 (5.0)	12 (5.5)	15 (6.8)	11 (5.0)	17 (7.7)	19 (8.6)	

## Accessories

Mounting panel	1	JBMP1210	JBMP1212	JBMP1412	JBMP1614	JBMP1210	JBMP1614	633
Wallmount bracket Type 304	4	1594.000						628

Note: To order JB junction boxes in Type 316L stainless steel replace H4 ending with H6 (extended delivery times).

