

# WM wallmount enclosure



## Material:

Carbon steel  
Enclosure:  
– 12" H x 12" W – 24" H x 20" W:  
16 ga body/16 ga door  
– 24" H x 24" W – 36" H x 24" W:  
16 ga body/14 ga door  
– 36" H x 30" W – 42" H x 32" W:  
14 ga body/14 ga door

## Surface finish:

Housing and door:  
Powder-coated, RAL 7035  
(light grey)  
Mounting panel:  
Zinc-plated carbon steel


## Protection rating:

Single door enclosures:  
UL/cUL Type 12  
(IP 55 to EN 60 529/10.91)  
UL/cUL Type 3R  
UL/cUL Type 4  
(IP 66 to EN 60 529/10.91)  
Double door enclosures:  
UL/cUL Type 1  
UL/cUL Type 12  
(IP 55 to EN 60 529/10.91)  
UL File #: E170282

## Part number overview:

## Configuration:

- Left-hand hinge, slotted head insert
- One-piece enclosure body.
- Single door enclosures less than 20" high have one ¼ turn latch. Single door enclosures 20 - 40" high have two ¼ turn latches.
- Single door enclosures greater than or equal to 42" high and all double door enclosures have a 3-point locking L-Handle.
- Mounting panel
- Wall-mounting holes
- Foamed-in-place gasket



## Detailed drawings:

Available

## Depth: 6" (150 mm), Height: 12 - 20" (300 - 500 mm)

Height (H1) inches (mm)	PU	12 (300)	16 (400)	16 (400)	16 (400)	20 (500)	20 (500)	Page
Width (B1) inches (mm)		12 (300)	12 (300)	16 (400)	20 (500)	16 (400)	20 (500)	
Depth (T1) inches (mm)		6 (150)	6 (150)	6 (150)	6 (150)	6 (150)	6 (150)	
Panel Height (G1) inches (mm)		11 (275)	15 (375)	15 (375)	15 (375)	19 (475)	19 (475)	
Panel Width (F1) inches (mm)		10 (254)	10 (254)	14 (354)	18 (449)	14 (354)	18 (449)	
<b>Part No.</b>	1	<b>WM121206NC</b>	<b>WM161206NC</b>	<b>WM161606NC</b>	<b>WM162006NC</b>	<b>WM201606NC</b>	<b>WM202006NC</b>	
Door(s)		1	1	1	1	1	1	
Weight lb (kg)		16 (7)	20 (9)	23 (10)	28 (12)	31 (14)	37 (17)	

## Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000						606
Dead front kit	1	DFK1212C	DFK1612C	DFK1616C	DFK1620C	DFK2016C	DFK2020C	585

# WM wallmount enclosure

## Depth: 6 - 8" (155 - 210 mm), Height: 16 - 30" (400 - 760 mm)

<b>Height (H1) inches (mm)</b>	PU	24 (600)	24 (600)	24 (600)	30 (760)	16 (400)	16 (400)	Page
<b>Width (B1) inches (mm)</b>		16 (400)	20 (500)	24 (600)	24 (600)	12 (300)	16 (400)	
<b>Depth (T1) inches (mm)</b>		6 (150)	6 (150)	6 (150)	6 (150)	8 (210)	8 (210)	
Panel Height (G1) inches (mm)		22 (570)	22 (570)	22 (570)	29 (730)	15 (375)	15 (375)	
Panel Width (F1) inches (mm)		14 (354)	18 (449)	22 (549)	22 (549)	10 (254)	14 (354)	
<b>Part No.</b>	1	<b>WM241606NC</b>	<b>WM242006NC</b>	<b>WM242406NC</b>	<b>WM302406NC</b>	<b>WM161208NC</b>	<b>WM161608NC</b>	
Door(s)		1	1	1	1	1	1	
Weight lb (kg)		36 (16)	43 (19)	53 (24)	66 (30)	23 (10)	26 (12)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000						606
Dead front kit	1	DFK2416C	DFK2420C	DFK2424C	DFK3024C	DFK1612C	DFK1616C	585

## Depth: 8" (210 mm), Height: 16 - 24" (400 - 600 mm)

<b>Height (H1) inches (mm)</b>	PU	16 (400)	20 (500)	20 (500)	20 (500)	24 (600)	24 (600)	Page
<b>Width (B1) inches (mm)</b>		20 (500)	16 (400)	20 (500)	24 (600)	16 (400)	20 (500)	
<b>Depth (T1) inches (mm)</b>		8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	
Panel Height (G1) inches (mm)		15 (375)	19 (475)	19 (475)	19 (475)	22 (570)	22 (570)	
Panel Width (F1) inches (mm)		18 (449)	14 (354)	18 (449)	22 (549)	14 (354)	18 (449)	
<b>Part No.</b>	1	<b>WM162008NC</b>	<b>WM201608NC</b>	<b>WM202008NC</b>	<b>WM202408NC</b>	<b>WM241608NC</b>	<b>WM242008NC</b>	
Door(s)		1	1	1	1	1	1	
Weight lb (kg)		30 (14)	34 (15)	40 (17)	47 (21)	39 (18)	46 (21)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000						606
Dead front kit	1	DFK1620C	DFK2016C	DFK2020C	DFK2024C	DFK2416C	DFK2420C	585

## Depth: 8" (210 mm), Height: 24 - 30" (600 - 760 mm)

<b>Height (H1) inches (mm)</b>	PU	24 (600)	24 (600)	24 (600)	30 (760)	30 (760)	30 (760)	Page
<b>Width (B1) inches (mm)</b>		24 (600)	30 (760)	42 (1050)	20 (500)	24 (600)	30 (760)	
<b>Depth (T1) inches (mm)</b>		8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	
Panel Height (G1) inches (mm)		22 (570)	22 (570)	22 (550)	29 (730)	29 (730)	29 (730)	
Panel Width (F1) inches (mm)		22 (549)	28 (704)	39 (1000)	18 (449)	22 (549)	28 (704)	
<b>Part No.</b>	1	<b>WM242408NC</b>	<b>WM243008NC</b>	<b>WM244208NC</b>	<b>WM302008NC</b>	<b>WM302408NC</b>	<b>WM303008NC</b>	
Door(s)		1	1	2	1	1	1	
Weight lb (kg)		57 (26)	70 (32)	110 (50)	60 (27)	70 (32)	86 (39)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000		WMLHKL	2533.000			606
Dead front kit	1	DFK2424C	DFK2430C	-	DFK3020C	DFK3024C	DFK3030C	585

# WM wallmount enclosure

## Depth: 8" (210 mm), Height: 36 - 47" (900 - 1200 mm)

Height (H1) inches (mm)	PU	36 (900)	36 (900)	36 (900)	42 (1050)	42 (1050)	47 (1200)	Page
Width (B1) inches (mm)		24 (600)	30 (760)	36 (900)	30 (760)	36 (900)	36 (900)	
Depth (T1) inches (mm)		8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	
Panel Height (G1) inches (mm)		34 (870)	34 (870)	34 (870)	40 (1020)	40 (1020)	45 (1155)	
Panel Width (F1) inches (mm)		22 (549)	28 (704)	33 (840)	28 (704)	33 (840)	33 (840)	
<b>Part No.</b>	1	<b>WM362408NC</b>	<b>WM363008NC</b>	<b>WM363608NC</b>	<b>WM423008NC</b>	<b>WM423608NC</b>	<b>WM483608NC</b>	
Door(s)		1	1	1	1	1	1	
Weight lb (kg)		91 (41)	111 (50)	134 (61)	137 (63)	157 (71)	176 (80)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000			WMLHKL			606
Dead front kit	1	DFK3624C	DFK3630C	DFK3636C	DFK4230C	DFK4236C	DFK4836C	585

## Depth: 10" (250 mm), Height: 20 - 30" (500 - 1200 mm)

Height (H1) inches (mm)	PU	20 (500)	24 (600)	24 (600)	30 (760)	30 (760)	30 (760)	Page
Width (B1) inches (mm)		20 (500)	20 (500)	24 (600)	24 (600)	30 (760)	42 (1050)	
Depth (T1) inches (mm)		10 (250)	10 (250)	10 (250)	10 (250)	10 (250)	10 (250)	
Panel Height (G1) inches (mm)		19 (475)	22 (570)	22 (570)	29 (730)	29 (730)	28 (710)	
Panel Width (F1) inches (mm)		18 (449)	18 (449)	22 (549)	22 (549)	28 (704)	39 (1000)	
<b>Part No.</b>	1	<b>WM202010NC</b>	<b>WM242010NC</b>	<b>WM242410NC</b>	<b>WM302410NC</b>	<b>WM303010NC</b>	<b>WM304210NC</b>	
Door(s)		1	1	1	1	1	2	
Weight lb (kg)		45 (20)	48 (22)	50 (23)	75 (34)	89 (40)	154 (70)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000					WMLHKL	606
Dead front kit	1	DFK2020C	DFK2420C	DFK2424C	DFK3024C	DFK3030C	-	585

## Depth: 10" (250 mm), Height: 30 - 60" (760 - 1500 mm)

Height (H1) inches (mm)	PU	30 (760)	36 (900)	36 (900)	42 (1050)	47 (1200)	60 (1500)	Page
Width (B1) inches (mm)		47 (1200)	24 (600)	30 (760)	36 (900)	36 (900)	36 (900)	
Depth (T1) inches (mm)		10 (250)	10 (250)	10 (250)	10 (250)	10 (250)	10 (250)	
Panel Height (G1) inches (mm)		28 (710)	34 (870)	34 (870)	40 (1020)	45 (1155)	57 (1455)	
Panel Width (F1) inches (mm)		45 (1150)	22 (549)	28 (704)	33 (840)	33 (840)	33 (840)	
<b>Part No.</b>	1	<b>WM304810NC</b>	<b>WM362410NC</b>	<b>WM363010NC</b>	<b>WM423610NC</b>	<b>WM483610NC</b>	<b>WM603610NC</b>	
Door(s)		2	1	1	1	1	1	
Weight lb (kg)		138 (63)	85 (38)	116 (53)	162 (74)	178 (81)	189 (86)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	WMLHKL	2533.000			WMLHKL		606
Dead front kit	1	-	DFK3624C	DFK3630C	DFK4236C	DFK4836C	DFK6036C	585

## Depth: 12" (300 mm), Height: 20 - 36" (500 - 900 mm)

Height (H1) inches (mm)	PU	20 (500)	24 (600)	24 (600)	30 (760)	30 (760)	36 (900)	Page
Width (B1) inches (mm)		20 (500)	20 (500)	24 (600)	24 (600)	30 (760)	24 (600)	
Depth (T1) inches (mm)		12 (300)	12 (300)	12 (300)	12 (300)	12 (300)	12 (300)	
Panel Height (G1) inches (mm)		19 (470)	22 (570)	22 (570)	29 (730)	29 (730)	34 (870)	
Panel Width (F1) inches (mm)		18 (449)	18 (449)	22 (549)	22 (549)	28 (704)	22 (549)	
<b>Part No.</b>	1	<b>WM202012NC</b>	<b>WM242012NC</b>	<b>WM242412NC</b>	<b>WM302412NC</b>	<b>WM303012NC</b>	<b>WM362412NC</b>	
Door(s)		1	1	1	1	1	1	
Weight lb (kg)		48 (22)	52 (23)	63 (28)	77 (35)	93 (42)	89 (40)	

### Accessories

Wallmount bracket	4	2508.200						628
Handle	1	2533.000						606
Dead front kit	1	DFK2020C	DFK2420C	DFK2424C	DFK3024C	DFK3030C	DFK3624C	585

# WM wallmount enclosure

## Depth: 12" (300 mm), Height: 36" (900 mm)

<b>Height (H1)</b> inches (mm)	PU	36 (900)	36 (900)	36 (900)	36 (900)	36 (900)	Page
<b>Width (B1)</b> inches (mm)		30 (760)	36 (900)	42 (1050)	47 (1200)	60 (1500)	
<b>Depth (T1)</b> inches (mm)		12 (300)	12 (300)	12 (300)	12 (300)	12 (300)	
Panel Height (G1) inches (mm)		34 (870)	34 (870)	33 (850)	33 (850)	33 (850)	
Panel Width (F1) inches (mm)		28 (704)	33 (840)	39 (1000)	45 (1150)	57 (1450)	
<b>Part No.</b>	1	<b>WM363012NC</b>	<b>WM363612NC</b>	<b>WM364212NC</b>	<b>WM364812NC</b>	<b>WM366012NC</b>	
Door(s)		1	1	2	2	2	
Weight lb (kg)		120 (55)	140 (64)	167 (76)	186 (85)	226 (103)	

### Accessories

Wallmount bracket	4	2508.200				628
Handle	1	2533.000		WMLHKL		606
Dead front kit	1	DFK3630	DFK3636C	-	-	585

## Depth: 12" (300 mm), Height: 42 - 60" (1050 - 1500 mm)

<b>Height (H1)</b> inches (mm)	PU	42 (1050)	42 (1050)	47 (1200)	47 (1200)	60 (1500)	Page
<b>Width (B1)</b> inches (mm)		36 (900)	60 (1500)	36 (900)	47 (1200)	36 (900)	
<b>Depth (T1)</b> inches (mm)		12 (300)	12 (300)	12 (300)	12 (300)	12 (300)	
Panel Height (G1) inches (mm)		40 (1020)	39 (1000)	45 (1155)	45 (1150)	57 (1455)	
Panel Width (F1) inches (mm)		33 (840)	57 (1450)	33 (840)	45 (1150)	33 (840)	
<b>Part No.</b>	1	<b>WM423612NC</b>	<b>WM426012NC</b>	<b>WM483612NC</b>	<b>WM484812NC</b>	<b>WM603612NC</b>	
Door(s)		1	2	1	2	1	
Weight lb (kg)		169 (77)	259 (118)	180 (82)	204 (93)	200 (91)	

### Accessories

Wallmount bracket	4	2508.200				628	
Handle	1	WMLHKL				606	
Dead front kit	1	DFK4236C	-	DFK4836C	-	DFK6036C	585

## Depth: 12 - 20" (400 - 500 mm), Height: 36 - 47" (900 - 1200 mm)

<b>Height (H1)</b> inches (mm)	PU	36 (900)	47 (1200)	60 (1500)	30 (760)	47 (1200)	Page
<b>Width (B1)</b> inches (mm)		30 (760)	36 (900)	36 (900)	24 (600)	36 (900)	
<b>Depth (T1)</b> inches (mm)		16 (400)	16 (400)	16 (400)	20 (500)	20 (500)	
Panel Height (G1) inches (mm)		34 (870)	45 (1155)	57 (1450)	29 (730)	45 (1155)	
Panel Width (F1) inches (mm)		28 (704)	33 (840)	33 (840)	22 (549)	33 (840)	
<b>Part No.</b>	1	<b>WM363016NC</b>	<b>WM483616NC</b>	<b>WM603616NC</b>	<b>WM302420NC</b>	<b>WM483620NC</b>	
Door(s)		1	1	1	1	1	
Weight lb (kg)		134 (61)	204 (93)	210 (95)	85 (39)	212 (96)	

### Accessories

Wallmount bracket	4	2508.200				628	
Handle	1	2533.000	WMLHKL		2533.000	WMLHKL	606
Dead front kit	1	DFK3630C	DFK4836C	DFK6036C	DFK3024C	DFK4836C	585

# WM wallmount disconnect enclosure



## Material:

- Carbon steel
- Body H ≤ 24": 16 ga (1.5 mm)
- Body H > 24": 14 ga (2.0 mm)
- Door: 14 ga (2.0 mm)

## Surface finish:

- Enclosure and door: Powder-coated, RAL 7035 (light grey)
- Mounting panel: Zinc-plated carbon steel

## Protection rating:

- UL/cUL Type 12 (IP 55 to EN 60 529/10.91)
- UL/cUL Type 3R
- UL/cUL Type 4 (IP 66 to EN 60 529/10.91)
- UL file #: E170282


## Part number overview:

## Configuration:

- Left-hand hinge
- Universal disconnect cut-out
- One-piece enclosure body
- 2 or 3-point latching L-handle
- Mounting panel
- Wall-mounting holes
- Foamed-in-place gasket

## Detailed drawings:

Available



## Depth: 8" (210 mm), Height: 20 - 36 (500 - 900 mm)

Height (H1) inches (mm)	PU	20 (500)	24 (600)	24 (600)	30 (760)	36 (900)	Page
Width (B1) inches (mm)		22 (550)	22 (550)	26 (650)	26 (650)	32 (825)	
Depth (T1) inches (mm)		8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	
Panel Height (G1) inches (mm)		19 (475)	22 (570)	22 (570)	29 (730)	34 (870)	
Panel Width (F1) inches (mm)		18 (449)	18 (449)	22 (549)	22 (549)	28 (704)	
Panel Thickness ga (mm)		12 (2.5)	12 (2.5)	12 (2.5)	11 (3)	11 (3)	
<b>Part No.</b>	1	<b>WM202208XC</b>	<b>WM242208XC</b>	<b>WM242608XC</b>	<b>WM302608XC</b>	<b>WM363208XC</b>	
Latching points		2	2	2	2	2	
Weight lb (kg)		48 (22)	55 (25)	59 (27)	81 (37)	112 (51)	

## Accessories

Keylocking handle	1			WMLHKL		606
Padlocking handle	1			WMLHPL		606
Wallmount bracket	4			2508.200		628

# WM wallmount disconnect enclosure

Depth: 10 - 12" (250 - 300 mm), Height: 36 - 60" (900 - 1500 mm)

<b>Height (H1)</b> inches (mm)	PU	36 (900)	60 (1500)	30 (760)	36 (900)	42 (1050)	Page
<b>Width (B1)</b> inches (mm)		32 (825)	38 (975)	26 (650)	32 (825)	32 (825)	
<b>Depth (T1)</b> inches (mm)		10 (250)	10 (250)	12 (300)	12 (300)	12 (300)	
Panel Height (G1) inches (mm)		34 (870)	57 (1455)	29 (730)	34 (870)	40 (1020)	
Panel Width (F1) inches (mm)		28 (704)	33 (840)	22 (549)	28 (704)	29 (730)	
Panel Thickness ga (mm)		11 (3)	11 (3)	11 (3)	11 (3)	11 (3)	
<b>Part No.</b>	1	<b>WM363210XC</b>	<b>WM603810XC</b>	<b>WM302612XC</b>	<b>WM363212XC</b>	<b>WM423212XC</b>	
Latching points		2	3	2	2	3	
Weight lb (kg)		132 (60)	229 (104)	95 (43)	139 (63)	163 (74)	

## Accessories

Keylocking handle	1			WMLHKL			606
Padlocking handle	1			WMLHPL			606
Wallmount bracket	4			2508.200			628

Depth: 12 - 16" (300 - 400 mm), Height: 42 - 60" (1050 - 1500 mm)

<b>Height (H1)</b> inches (mm)	PU	42 (1050)	47 (1200)	60 (1500)	47 (1200)	60 (1500)	Page
<b>Width (B1)</b> inches (mm)		38 (975)	38 (975)	38 (975)	38 (975)	38 (975)	
<b>Depth (T1)</b> inches (mm)		12 (300)	12 (300)	12 (300)	16 (400)	16 (400)	
Panel Height (G1) inches (mm)		40 (1020)	45 (1155)	57 (1455)	45 (1155)	57 (1455)	
Panel Width (F1) inches (mm)		33 (840)	33 (840)	33 (840)	33 (840)	33 (840)	
Panel Thickness ga (mm)		11 (3)	11 (3)	11 (3)	11 (3)	11 (3)	
<b>Part No.</b>	1	<b>WM423812XC</b>	<b>WM483812XC</b>	<b>WM603812XC</b>	<b>WM483816XC</b>	<b>WM603816XC</b>	
Latching points		3	3	3	3	3	
Weight lb (kg)		176 (80)	196 (89)	235 (107)	211 (96)	266 (121)	

## Accessories

Keylocking handle	1			WMLHKL			606
Padlocking handle	1			WMLHPL			606
Wallmount bracket	4			2508.200			628